

# subMerchantPF EN

|   | Key                | Type   | Format  | CND | Legacy API parameter         | Description                                                                                                                                                                                                                                                                                                                                           |
|---|--------------------|--------|---------|-----|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | subMerchantID      | string | ans..15 | C   | <b>subMID</b>                | SubMerchantID assigned from the Payment Facilitator and provided in the request flow.<br><br>Please clarify beforehand with Axepta Merchant Services team if this parameter is required.                                                                                                                                                              |
| 2 | subMerchantName    | string | ans..22 | C   | <b>subMIDName</b>            | Name of the SubMerchantID. Card schemes require this value to be populated.<br><br>subMerchantName=payFacName*subMIDName (PF Name-Asterix-sub merchant Name)<br><b>Payment Facilitator name must be represented within (3, 7 or 12 characters)</b><br><br>Please clarify beforehand with Axepta Merchant Services team if this parameter is required. |
| 3 | subMerchantCity    | string | ans..13 | C   | <b>subMIDAddrCity</b>        | Town/city of the SubMerchantID<br><br>Please clarify beforehand with Axepta Merchant Services team if this parameter is required.                                                                                                                                                                                                                     |
| 4 | subMerchantCountry | string | a..2    | C   | <b>subMIDAddrCountryCode</b> | Country code of the SubMerchantID according to ISO-3166-1, alphanumeric 2 characters.<br><br>Please clarify beforehand with Axepta Merchant Services team if this parameter is required.                                                                                                                                                              |
| 5 | subMerchantStreet  | string | ans..38 | C   | <b>subMIDAddrStreet</b>      | Street of the SubMerchantID<br><br>Please clarify beforehand with Axepta Merchant Services team if this parameter is required.                                                                                                                                                                                                                        |
| 6 | subMerchantZIP     | string | ans..10 | C   | <b>subMIDAddrZip</b>         | Postcode of the SubMerchantID<br><br>Please clarify beforehand with Axepta Merchant Services team if this parameter is required.                                                                                                                                                                                                                      |
| 7 | subMerchantState   | string | ans..3  | C   | <b>subMIDAddrState</b>       | Federal State of the SubMerchantID<br><br>Please clarify beforehand with Axepta Merchant Services team if this parameter is required.                                                                                                                                                                                                                 |

## Schema

```

{
  "$schema": "http://json-schema.org/draft-07/schema#",
  "$id": "http://json-schema.org/draft-07/schema#",
  "title": "subMerchantPF",
  "description": "Data related to a sub-Merchant entity as part of a Payment Facilitator Model",
  "type": "object",
  "properties": {
    "subMerchantID": {
      "type": "string",
      "description": "SubMerchantID assigned from the Payment Facilitator"
    },
    "subMerchantName": {
      "type": "string",
      "description": "Card schemes require this value to be populated in the below format:'payFacName*subMIDName'.
represented within 3,7 or 12 characters"
    },
    "subMerchantCity": {
      "type": "string",
      "description": "Town/city of the SubMerchantID"
    },
    "subMerchantCountry": {
      "type": "string",
      "description": "Country code of the SubMerchantID according to ISO-3166-1, alphanumeric 2 chars"
    },
    "subMerchantStreet": {
      "type": "string",
      "description": "Street of the SubMerchantID"
    },
    "subMerchantZIP": {
      "type": "string",
      "description": "Postcode of the SubMerchantID"
    },
    "subMerchantState": {
      "type": "string",
      "description": "Federal State of the SubMerchantID"
    }
  },
  "additionalProperties": false
}

```

## Sample

### subMerchantPF

```

{
  "subMerchantID": "TESTSHOP33",
  "subMerchantName": "PFNAMES*SHOPNAME",
  "subMerchantCity": "Bamberg",
  "subMerchantCountry": "DE",
  "subMerchantStreet": "Abtsberg" ,
  "subMerchantZIP": "96049" ,
  "subMerchantState": "DEU"
}

```