

# Basics of Base64-encoding EN

The JSON-objects are Base64-encoded and the result is then passed as the value with the corresponding key.

Please pay attention to pass the complete Base64-encoded string as value including the padding characters ("=" or "==") that are used by [Base64-encoding](#).

Please find here some examples:

Key	JSON-structure you would like to pass	Key and value you have to submit
card	<pre>{   "securityCode":   "569",   "expiryDate":   "202208",   ,   "cardholderName":   :   "William Thomas",   "number":   :   "4186665161011901",   "brand":   "VISA" }</pre>	card=ewogICAgInNlY3VyaXR5Q29kZSI6IC11NjkiLAogICAgImV4cGlyeURhdGUiOiAiMjAyMjA4IiwKIICAgICJjYXJkaG9sZGVyTmFtZSI6ICJXaWxsaWFtIFR0b21hcylsCiAgICAibnVtYmVyljogIjQxODY2NjUxNjEwMTE5MDEiLAogICAgImJyYW5kljogIiZJU0EiCn0=
threeDSPolicy	<pre>{   "challengePreference":   "mandate Challenge" }</pre>	threeDSPolicy=ewogICAgImNoYWxsZW5nZVByZWZlcmVuY2UgljogIm1hbmRhdGVDaGFsbGVuZ2Uicn0=

