

URLFailure

URLFailure

Key	Format	CND	Description
URLFailure	ans..256	M	<p>Complete URL which calls up if payment has been unsuccessful. The URL may be called up only via port 443. This URL may not contain parameters: In order to exchange values between and shop, please use the parameter UserData.</p> <p>i Common notes:</p> <ul style="list-style-type: none">• We recommend to use parameter "response=encrypted" to get an encrypted response by• However, fraudster may just copy the encrypted DATA-element which are sent to URLFailure and send the DATA to URLSuccess /URLNotify. Therefore ensure to check the "code"-value which indicates success/failure of the action. Only a result of "code=00000000" should be considered successful.

URLFailure 3-D Secure

Key	Format	CND	Description
URLFailure 3-D Secure	ans..256	M	<p>Complete URL which calls up if payment has been unsuccessful. The URL may be called up only via port 443. This URL may not contain parameters: In order to exchange values between and shop, please use the parameter UserData.</p> <p>i Common notes:</p> <ul style="list-style-type: none">• We recommend to use parameter "response=encrypted" to get an encrypted response by• However, fraudster may just copy the encrypted DATA-element which are sent to URLFailure and send the DATA to URLSuccess /URLNotify. Therefore ensure to check the "code"-value which indicates success/failure of the action. Only a result of "code=00000000" should be considered successful. <p>i Information for 3-D Secure:</p> <ul style="list-style-type: none">• payssl.aspx / payNow.aspx: Please note that the URL is called via POST for 3-D Secure 2.x and via GET for 3-D Secure 1.x (e.g. in case of fallback). Therefore your system should check parameters for POST as well as for GET method.