accountInfo EN

The account information contains optional information about the <u>cardholder account with the merchant</u>.



Cardholder Account Information data elements used to define a time period can be included as either: the *specific date or an approximate indicator* Requestors can use either format.

Data Elements

authenticationInformation object O This element contains optional information about how the cardholder authenticated during login to their ac account. Ageindicator string O Length of time that the customer has had the payment instrument / payment account with the merchant. Values accopted: - great-Checkout: - this Transaction - leest-than 10 bays - from 30 Toc 00 bays - more Thans 00		Кеу	Format	Condition	Description
account/AgeIndicator string	1	accountIdentifier	string	0	The account ID of the cardholder within merchant environment / website (e.g. customer number).
Values accepted: • guest/Checkort • this/Transaction • transaction • this/Transaction • transaction • transaction • transaction • this/Transaction • this/Transactio	2	authenticationInformation	object	0	This element contains optional information about how the cardholder authenticated during login to their acc
new user(s) added (YYYY-MM-DD). Length of time since the customer's account information with the merchant was last changed, including bil values accepted: thisTransaction leasThan30bays from307060bays moreThan60bays Date that the customer opened the account with the merchant in format YYYY-MM-DD. Date that the customer opened the account with the merchant in format YYYY-MM-DD. Date that customer's account with the merchant had a password change or account reset in format YYYY. Indicates the length of time since the customer account had a password change or account reset. Values accepted: new suser(s) added (YYYY-MM-DD). Date that the customer opened the account with the merchant in format YYYY-MM-DD. Indicates the length of time since the customer account had a password change or account reset. Values accepted: new formansection least in the since the customer account had a password change or account reset. Values accepted: new formansection least in the since the customer account had a password change or account reset. Values accepted: new formansection least in the since the customer account had a password change or account reset. Values accepted: new formansection least in the since the customer account had a password change or account reset. Values accepted: new formansection least the last 6 months. Number of purchases in the last 6 months. Number of purchases in the last 6 months. Number of transactions (successful and abandoned) in the previous 24 hours. Number of transactions (successful and abandoned) in the previous year. Number of transactions (successful and abandoned) in the previous year. Number of transactions (successful and abandoned) in the previous year. Number of transactions (successful and abandoned) in the previous year. Indicates the length of time that the payment account was enrolled in the customer account. Values accepted: guestChaeckout this framsaction the formansection the formansection the formansection the formansection the formansection the formans	3	accountAgeIndicator	string	0	Values accepted: • guestCheckout • thisTransaction • lessThan30Days • from30To60Days
new user(s) added. Values accepted: • thisFransaction • lessThan30Days • from30To60Days • moreThan60Days • moreThan60Days 7 passwordChangeDate string O Date that the customer opened the account with the merchant in format YYYY-MM-DD. 8 passwordChangeDateInd icator Values accepted: • noChange • thisFransaction • lessThan30Days • from30To60Days • moreThan60Days	4	accountChangeDate	string	0	Date that the customer's payment instrument (account) with the merchant was last changed, including billin new user(s) added (YYYY-MM-DD).
passwordChangeDate string O Date that customer's account with the merchant had a password change or account reset in format YYYY. Indicates the length of time since the customer account had a password change or account reset. Values accepted: nochange thisTransaction lessThan30Days moreThan60Days notrOfPurchases integer O Number of purchases in the last 6 months. Number of Add Card attempts in the last 24 hours. Number of transactions (successful and abandoned) in the previous 24 hours. Number of transactions (successful and abandoned) in the previous year. Number of transactions (successful and abandoned) in the previous year. Number of transactions (successful and abandoned) in the previous year. Date that the payment account was enrolled in the customer account in format YYYY-MM-DD. Indicates the length of time that the payment account was enrolled in the customer account. Values accepted: guestChackout thisTransaction lessThan30Days from30To60Days moreThan60Days moreThan60Days	5	accountChangeIndicator	string	0	Values accepted: • thisTransaction • lessThan30Days • from30To60Days
passwordChangeDateInd icator Description Description	6	accountCreationDate	string	0	Date that the customer opened the account with the merchant in format YYYY-MM-DD.
icator Values accepted: • noChange • thisTransaction • lessThan30Days • from30To60Days • moreThan60Days 9 nbrOfPurchases integer O Number of purchases in the last 6 months. 10 addCardAttemptsDay integer O Number of Add Card attempts in the last 24 hours. 11 nbrTransactionsDay integer O Number of transactions (successful and abandoned) in the previous 24 hours. 12 nbrTransactionsYear integer O Number of transactions (successful and abandoned) in the previous year. 13 paymentAccountAge string O Date that the payment account was enrolled in the customer account in format YYYY-MM-DD. 14 paymentAccountAgeIndic ator Values accepted: • guestCheckout • thisTransaction • lessThan30Days • from30To60Days • moreThan60Days	7	passwordChangeDate	string	0	Date that customer's account with the merchant had a password change or account reset in format YYYY-N
addCardAttemptsDay integer O Number of Add Card attempts in the last 24 hours. 11 nbrTransactionsDay integer O Number of transactions (successful and abandoned) in the previous 24 hours. 12 nbrTransactionsYear integer O Number of transactions (successful and abandoned) in the previous year. 13 paymentAccountAge string O Date that the payment account was enrolled in the customer account in format YYYY-MM-DD. 14 paymentAccountAgeIndic ator O Indicates the length of time that the payment account was enrolled in the customer account. Values accepted: • guestCheckout • thisTransaction • lessThan30Days • from30To60Days • moreThan60Days	8		string	0	Values accepted: • noChange • thisTransaction • lessThan30Days • from30To60Days
nbrTransactionsDay integer O Number of transactions (successful and abandoned) in the previous 24 hours. 12 nbrTransactionsYear integer O Number of transactions (successful and abandoned) in the previous year. 13 paymentAccountAge string O Date that the payment account was enrolled in the customer account in format YYYY-MM-DD. 14 paymentAccountAgeIndic ator O Indicates the length of time that the payment account was enrolled in the customer account. Values accepted: • guestCheckout • thisTransaction • lessThan30Days • from30To60Days • moreThan60Days	9	nbrOfPurchases	integer	0	Number of purchases in the last 6 months.
nbrTransactionsYear integer O Number of transactions (successful and abandoned) in the previous year. 13 paymentAccountAge string O Date that the payment account was enrolled in the customer account in format YYYY-MM-DD. 14 paymentAccountAgeIndic ator O Indicates the length of time that the payment account was enrolled in the customer account. Values accepted: • guestCheckout • thisTransaction • lessThan30Days • from30To60Days • moreThan60Days	10	addCardAttemptsDay	integer	0	Number of Add Card attempts in the last 24 hours.
paymentAccountAge string O Date that the payment account was enrolled in the customer account in format YYYY-MM-DD. Indicates the length of time that the payment account was enrolled in the customer account. Values accepted: • guestCheckout • thisTransaction • lessThan30Days • from30To60Days • moreThan60Days	11	nbrTransactionsDay	integer	0	Number of transactions (successful and abandoned) in the previous 24 hours.
paymentAccountAgeIndic ator O Indicates the length of time that the payment account was enrolled in the customer account. Values accepted: • guestCheckout • thisTransaction • lessThan30Days • from30To60Days • moreThan60Days	12	nbrTransactionsYear	integer	0	Number of transactions (successful and abandoned) in the previous year.
Values accepted: • guestCheckout • thisTransaction • lessThan30Days • from30To60Days • moreThan60Days	13	paymentAccountAge	string	0	Date that the payment account was enrolled in the customer account in format YYYY-MM-DD.
15 shipAddressUsageDate string O Date when the shipping address used for this transaction was first used in format YYYY-MM-DD.	14	1	string	0	Values accepted: • guestCheckout • thisTransaction • lessThan30Days • from30To60Days
	15	shipAddressUsageDate	string	0	Date when the shipping address used for this transaction was first used in format YYYY-MM-DD.

16	shipAddressUsageIndicat or	string	O	Indicates when the shipping address used for this transaction was first used. Values accepted: • thisTransaction • lessThan30Days • from30To60Days • moreThan60Days
17	suspiciousAccActivity	boolean	0	Indicates whether the merchant has experienced suspicious activity (including previous fraud) on the custor

authenticationInformation

	Key	Format	Condition	Description
1	authenticationData	string	С	This data element can carry specific authentication attestation data such as FIDO if applicable.
2	authenticationMethod	string	М	This data element specifies the mechanism used by the Cardholder to authenticate to the merchant. Values accepted: • guest • merchantCredentials • federatedID • issuerCredentials • thirdPartyAuthentication • FIDO • signedFIDO • SRCassuranceData
3	authenticationTimestamp	string	М	Date and time (see RFC 3339) in UTC of the cardholder authentication. YYYY-MM-DDTHH:MM:SS+00:00

Schema

```
{
        "$schema": "http://json-schema.org/draft-07/schema#",
        "$id": "https://paymentpage.axepta.bnpparibas/schemas/accountInfo.json",
        "title": "accountInfo",
        "description": "Customer Account Information",
        "type": "object",
        "properties": {
                "accountIdentifier": {
                        "type": "string",
                        "maxLength": 64
                "authenticationInformation": {
                        "type": "object",
                        "properties": {
                                 "authenticationData": {
                                        "type": "string",
                                         "maxLength": 20000
                                },
                                 "authenticationMethod": {
                                        "type": "string",
                                         "enum": ["guest", "merchantCredentials", "federatedID", "issuerCredentials
"FIDO", "signedFIDO", "SRCassuranceData"]
                                 "authenticationTimestamp": {
                                        "type": "string",
                                        "format": "date-time"
                                }
                        "required": ["authenticationMethod", "authenticationTimestamp"],
                        \verb|"additionalProperties": false|\\
                },
                "accountAgeIndicator": {
                        "type": "string",
                        "enum": ["guestCheckout", "thisTransaction", "lessThan30Days", "from30To60Days", "moreThar
```

```
"description": "Length of time that the customer has had the account with the merchant."
                "accountChangeDate": {
                        "type": "string",
                        "format": "full-date",
                        "description": "YYYY-MM-DD"
                },
                "accountChangeIndicator": {
                        "type": "string",
                        "enum": ["thisTransaction", "lessThan30Days", "from30To60Days", "moreThan60Days"],
                        "description": "Length of time since the customer account information was last changed."
                },
                "accountCreationDate": {
                        "type": "string",
                        "format": "full-date",
                        "description": "YYYY-MM-DD"
                },
                "passwordChangeDate": {
                        "type": "string",
                        "format": "full-date",
                        "description": "YYYY-MM-DD"
                "passwordChangeDateIndicator": {
                        "type": "string",
                        "enum": ["noChange", "thisTransaction", "lessThan30Days", "from30To60Days", "moreThan60Day
                        "description": "Indicates the length of time since the customer account had a password cha
                },
                "nbrOfPurchases": {
                        "type": "integer",
                        "maximum": 9999,
                        "description": "Number of purchases in the last 6 months."
                },
                "addCardAttemptsDay": {
                        "type": "integer",
                        "maximum": 999,
                        "description": "Number of Add Card attempts in the last 24 hours."
                },
                "nbrTransactionsDay": {
                        "type": "integer",
                        "maximum": 999,
                        "description": "Number of transactions (successful and abandoned) in the previous 24 hours
                },
                "nbrTransactionsYear": {
                        "type": "integer",
                        "maximum": 999,
                        "description": "Number of transactions (successful and abandoned) in the previous year."
                },
                "paymentAccountAge": {
                        "type": "string",
                        "format": "full-date",
                        "description": "Date that the payment account was enrolled in the customer account in form
                },
                "paymentAccountAgeIndicator": {
                        "type": "string",
                        "enum": ["guestCheckout", "thisTransaction", "lessThan30Days", "from30To60Days", "moreThan
                        "description": "Indicates the length of time that the payment account was enrolled in the
                },
                "shipAddressUsageDate": {
                        "type": "string",
                        "format": "full-date",
                        "description": "Date when the shipping address used for this transaction was first used ir
                "shipAddressUsageIndicator": {
                        "type": "string",
                        "enum": ["thisTransaction", "lessThan30Days", "from30To60Days", "moreThan60Days"],
                        "description": "Indicates when the shipping address used for this transaction was first us
                "suspiciousAccActivity": {
                        "type": "boolean",
                        "description": "Indicates whether the merchant has experienced suspicious activity (includes
customer account."
```

Sample

```
"accountIdentifier": "joe.bloggs@acme.com",
        "authenticationInformation": {
                "authenticationMethod": "merchantCredentials",
                "authenticationTimestamp": "2021-10-05T04:36:18+00:00"
        },
        "accountAgeIndicator": "moreThan60Days",
        "accountChangeDate": "2019-01-23",
        "accountChangeIndicator": "from30To60Days",
        "accountCreationDate": "2016-01-01",
        "passwordChangeDate": "2018-06-08",
        "passwordChangeDateIndicator": "lessThan30Days",
        "nbrOfPurchases": 4,
        "addCardAttemptsDay": 0,
        "nbrTransactionsDay": 0,
        "nbrTransactionsYear": 5,
        "paymentAccountAge": "2018-03-20",
        "payment {\tt AccountAgeIndicator": "this Transaction",}
        "shipAddressUsageDate": "2017-10-14",
        "shipAddressUsageIndicator": "moreThan60Days",
        "suspiciousAccActivity": true
}
```