

acsRenderingType EN

Data Elements

	Key	Format	Condition	Description
1	acsInterface	string	M	This the ACS interface that the challenge will present to the cardholder. Values accepted: • native • html
2	acsUiTemplate	string	M	Identifies the UI Template format that the ACS first presents to the consumer. Values accepted: • text • singleSelect • multiSelect • oob • htmlOther htmlOther is only valid in combination with html UI (see acsInterface).

Schema

```
{
  "$id": "https://paymentpage.acepta.bnpparibas/schemas/acsRenderingType.json",
  "title": "accountInfo",
  "description": "ACS Rendering Type",
  "type": "object",
  "properties": {
    "acsRenderingType": {
      "type": "object",
      "properties": {
        "acsInterface": {
          "type": "string",
          "enum": [
            "native",
            "html"
          ]
        },
        "acsUiTemplate": {
          "type": "string",
          "enum": [
            "text",
            "singleSelect",
            "multiSelect",
            "oob",
            "other"
          ]
        }
      },
      "required": [
        "acsInterface",
        "acsUiTemplate"
      ],
      "additionalProperties": false
    }
  },
  "additionalProperties": false
}
```

Sample

```
{
  "acsRenderingType": {
    "acsInterface": "native",
    "acsUiTemplate": "singleSelect"
  }
}
```